

CONEXIÓN Y TUBERÍA SANITARIA



ecoline^{MR}

*Acero inoxidable tipo 304 ideal para la industria
farmacéutica y alimentaria*






La conexión y tubería recomendada para la industria farmacéutica y alimentaria, donde la higiene y la seguridad es lo más importante.

De acero inoxidable tipo 304, en diámetros que van de 1/2" a 6" y longitud de 6.10 mts en el caso de tubería.

Para tu negocio o para tu proyecto cuenta siempre con la marca Ecoline la conexión sanitaria de los profesionales.



Codo 90°


2AP7


Medida	L	R	D	T
1/2"	19.1	19.1	12.7	1.65
3/4"	28.6	28.6	19.1	1.65
1"	38.1	38.1	25.4	1.65
1 1/4"	47.7	47.7	31.8	1.65
1 1/2"	57.2	57.2	38.1	1.65
2"	76.2	76.2	50.8	1.65
2 1/2"	95.3	95.3	63.5	1.65
3"	114.3	114.3	76.2	1.65
4"	152.4	152.4	101.6	1.65
5"	190.5	190.5	127	2
6"	228.6	228.6	152.4	2.77

Codo 45°

2K57


Medida	L	R	D	T
1/2"	7.1	19	12.7	1.65
3/4"	11.9	28.6	19	1.65
1"	15.8	38.1	25.4	1.65
1 1/4"	19.8	47.7	31.8	1.65
1 1/2"	23.8	57.2	38.1	1.65
2"	31.8	76.2	50.8	1.65
2" 1/2"	39.6	95.3	63.5	1.65
3"	47.6	114.3	76.2	1.65
4"	63.5	152.4	101.6	2.1
6"	94.7	228.6	152.4	2.77





Tee Soldable

Medida	L	D	T
1/2"	38	12.7	1.65
3/4"	47.6	19	1.65
1"	47.6	25.4	1.65
1 1/4"	55	31.8	1.65
1 1/2"	57.2	38.1	1.65
2"	76.2	50.8	1.65
2 1/2"	76.2	63.5	1.65
3"	82.6	76.2	1.65
4"	98.4	101.6	2.11
6"	143	152.4	2.77




Abrazadera Clamp Alto Rendimiento

13LAH

Medida			A	B
3A	DIN	ISO1127		
1-1.5"	DN25-40	26.9-42.4	44.4	53.6
2"	DN50	48.3	57.8	67
2.5"		60.3	71.4	80.6
3"	DN65	76.1	84	94.2
3.5"	DN80	88.9	99	109.2
4"	DN100		110	122.2
4.5"		114.3	123	133.2
	DN125	139.7	144	159
6"			155.4	170.4
	DN150	168.3	172	187
8"			205	220
	DN200	219.1	222.5	237.5
10"	DN250		257	272
12"	DN300		308	323

Tapón Clamp 16AMP


Medida	L	K
1/2"	6	25
3/4"	6	25
1"	6.3	50.5
1.5"	6.3	50.5
2"	6.3	64
2.5"	6.3	77.5
3"	6.3	91
4"	7.9	119
6"	11.1	166.87
8"	11.1	217.7
10"	11.1	268.5
12"	11.1	319.3



Férrula Soldable Lisa Corta

14WMP


Medida	L			K	D	A
	14WMP	14MMP	14AMP			
1/2"	12.7	21.5	28.6	25.2	12.7	9.4
3/4"	12.7	21.5	28.6	25.2	19.05	15.75
1"	12.7	21.5	28.6	50.5	25.4	22.2
1-1/2"	12.7	21.5	28.6	50.5	38.1	34.8
2"	12.7	21.5	28.6	64	50.8	47.5
2-1/2"	12.7	21.5	28.6	77.5	63.5	60.2
3"	12.7	21.5	28.6	91	76.2	72.9
4"	15.8	21.5	28.6	119	101.6	97.38
6"		21.5	28.6or38.1	166.8	152.4	146.86
8"		21.5	28.6or38.1	217.7	203.2	197.66
10"		21.5	28.6or38.1	268.5	254	247.2
12"		21.5	28.6or38.1	319.3	304.8	298




1/2" - 3/4"



Empaque Teflón 40MPG
Empaque Buna 40MPV



Medida			B	B1
3A	DIN	ISO1127		
1/2"-3/4"				21.8
	DN10-20	10.2-21.3	36.2	34
1.5"	DN25-40	26.9-42.4	52.7	50.5
2"	DN50	48.3	66.2	64
2.5"		60.3	79.7	77.5
3"	DN65	76.1	93.2	91
3.5"	DN80	88.9	108.2	106
4"	DN100		121.2	119
4.5"		114.3	132.2	130
	DN125	139.7	157.2	155
6"			169	166.8
	DN150	168.3	185.2	183
8"			219.9	217.7
	DN200	219.1	235.7	233.5
10"	DN250		270.7	268.5
12"	DN300		321.5	319.3



Tubería Sanitaria

ISO 2037			SMS			3A			IDF		
Medida	D	t	Medida	t	t	Medida	D	t	Medida	D	t
19	19.0	1.5	25	1.25	1.5	1/2"	12.7	1.65	1.0"	25.4	1.5
25	25.4	1.5	32	1.25	1.5	3/4"	19.1	1.65	1 1/4"	32.0	1.5
32	32.0	1.5	38	1.25	1.5	1.0"	25.4	1.65	1 1/2"	38.1	1.5
38	38.1	1.5	51	1.25	1.5	1.5"	38.1	1.65	2.0"	50.8	1.5
45	45.0	2.0	63	1.50	2.0	2.0"	50.8	1.65	2 1/2"	63.5	2.0
48	48.0	1.5	76	1.60	2.0	2.5"	63.5	1.65	3.0"	76.2	2.0
51	50.8	1.5	89	2.0	2.0	3.0"	76.2	1.65	3 1/2"	89.0	2.0
57	57.0	2.0	101.6	2.0	2.0	4.0"	101.6	2.11	4.0"	101.6	2.0
63	63.5	2.0				6.0"	152.4	2.80	4 1/4"	108.0	2.0
76	76.2	2.0				8.0"	203.2	2.80			
80	85.0	2.0				10.0"	254.0	3.40			
89	89.0	2.0				12.0"	305.0	3.40			
102	101.6	2.0									
108	108.0	2.0									
133	133.0	3.0									
159	159.0	3.0									
219	219.0	4.0									

The background of the image is a photograph of an industrial facility, featuring a large, horizontal, spherical storage tank with a grid-like structure on its surface. The tank is surrounded by various pipes, valves, and structural supports. The entire image is overlaid with a semi-transparent blue filter. In the center of the image, the word "ecoline" is written in a white, stylized, italicized font, followed by a small "MR" superscript.

ecoline^{MR}